Overview



1. Prints on monochrome receipt paper
2. Printer status LED
3. Paper feed button

Models

HP Value Serial/USB Receipt Printer F7M66AA

Introduction

Complete your retail solution with the HP Value Serial/USB Receipt Printer, a single-station thermal receipt printer designed for solid performance and reliability in retail environments.

Key Benefits

- Pick easy USB type A for your current and evolving platforms or keep your reliable legacy systems in play with a DB9 serial connection.
- Simply connect your choice of cable to your platform, add paper, and you're ready to go. Add a logo to your receipt or print special offers and coupons with integrated 2 MB Flash memory.
- Place the compact printer where you need it with the assurance that the steel internal frame will withstand the everyday wear and tear of retail environments.

Compatibility

The HP Value Receipt Printer is compatible with the HP Retail Systems.

NOTE: Not all HP Retail system models are available in all regions.
Not all HP Cash Drawer models are available in all regions.
This printer does not comply with fiscalization requirements that may be required in certain countries.

Overview

Service and Support

Your HP Peripheral Limited Warranty is a three (3) year (HP Option Limited Warranty Period) parts replacement warranty. Additional HP Care Pack Services options are available to extend warranty coverage.

Technical Specifications

General	**Supported Character Sets**	**Resident Code Pages**: 437 (US) 737 (Greek) 850 (Multilingual) 852 (Slavic) 857 (Turkish) 858 (with Eurosymbol) 860 (Portuguese) 862 (Hebrew) 863 (French Canadian) 865 (Nordic) 866 (Cyrillic) 1251 (Cyrillic) 1252 (Windows Latin 1) 1255 (Hebrew) KZ_1048 (Kazakh)
	Print Speed	150mm/Sec
	Receipt-Columns	44/56
	Paper Roll Size	3.1" x 3.55" (80 mm x 90 mm)
	Paper Thickness Range	2.0-3.4 mil
	Resolution	203 DPI
	Knife	Self-sharpening ceramic rotary
	Flash Memory	2 MB
	RAM	128 KB
	Cash Drawers	1 connector can drive 2 cash drawers with separately purchased splitter cable (default configuration is connection to 1 cash drawer)
	Bar Codes	UPC-A, UPC-E, JAN8(EAN), JAN13 (EAN), Code 39, Code 93, Interleaved 2 of 5, Codabar, Code 128, EAN 128, GS1 Databar, QR, and PDF-417 two dimensional codes.
	Print method	Direct thermal
	Paper type	Direct thermal POS Grade(s)
Mechanical	**Dimensions** (WxDxH)	5.65"x7.27"x5.27" (144mm x 185mm x 134mm)
	Weight	3 lbs. 4oz (1.47 kg) (printer only) 6 lbs. (2.72 kg) (approximate w/packaging & accessories)
	Color	HP Carbonite
Interface/Connection	**Interface**	RS232 (9-Pin Female to 9-Pin Female NULL modem cable) or standard USB 2.0 cable. (Interface cables included) 24 V Cash Drawer support with RJ11 interface
Power	**External power supply**	60w
	Operating Voltage	24 V
	Full load Current	2.3 A w/active power management system
	Idle Current	48mA
	Idle Power	1.2W

Technical Specifications

	Cable Length	AC power cord 6 ft., 1.83m, (most models) Serial printer cable 9.8 ft. (3m) USB cable 6 ft., (1.83m)
Temperature Range	**Operating**	40° to 125° F (5 to 50° C) at 10% to 90% humidity (non-condensing at ambient)
	Non-operating	Transit range: 14°F to 122°F (-10°C to 50°C) 5% to 90% humidity Storage range: -40°F to 140°F (-40°C to 60°C) 5% to 95% humidity
Drivers	Windows native, OPOS, JPOS	
Operating Systems (Compatible with)	Windows • Windows 7 Professional 32 and 64-bit • Windows Embedded POSReady 7 32 and 64-bit • Windows Embedded POSReady 2009 • Windows XP Professional • Genuine Windows 8/8.1 Professional 32bit & 64bit • Genuine Windows Industry 8/8.1 32 and 64 bit Linux • Red Hat/CentOS 5 and 6 (32/64 bit) • Suse Linux Enterprise POS 11 (32/64 bit) • Ubuntu 12.04 (32/64 bit)	
Reliability	MCBF Printlines 60 million MCBF Knife Cuts 2.3 million Printhead Life 242 km)	
Option kit contents	HP Value Serial/USB Receipt Printer, Starter paper roll, 24V external power supply, AC power cord, serial null printer cable, USB cable, HP Point of Sale System Software and Documentation CD	

© Copyright 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft, Windows, Windows XP and Windows Vista are trademarks of the Microsoft group of companies.